



## MODIFICATION:




## BEFORE:



NOTES:

V 8 - GEAR AND ANTENNAS GROUND POINT

**SPLICES:**  - AT INTERCOM CONNECTOR OR NEW PINS TO CONNECTOR WITH NEW MARK

B2-AVIONICS +12V  
(DYN-845-LSA-0002)  
/AVIONICS RELAY/

100 FA — 1000 FN — 1001 FA — 401 FA

OPTION

1 A

5 A

8 A

F A 4,6

TABLE: IDENTICAL SIGNALS / WIRES				
GTR 225A		SL 4,0		
FA 4,0/1	P2001	RD1	15 PIN	
AIRCRAFT POWER		AIRCRAFT POWER		1
POWER GROUND	30, 4,3, 4,4	POWER GROUND		9
COMM AUDIO HI	37, 38, 4,0	HEADPHONE		14
COMM AUDIO HI	7	AUDIO GROUND		13
COMM MIC AUDIO HI	18	MIC 1		8
COMM MIC AUDIO LO	5	MIC GROUND		7
COMM MIC KEY	20	PTT		4
LIGHTING BUS 1 HI	11			
LIGHTING BUS 1 LO	8			
LIGHTING BUS 2 HI	22			
LIGHTING BUS 2 LO	2			
RS-232 IN 1	32			
RS-232 OUT 1	16	RS-232 RX		10
RS-232 GROUND	1	RS-232 TX		3
FA 4,0/3	P2003	RD4		11
ANTENNA COMM		ANTENNA COMM		

12								
11	V 8	TERMINAL GROUND				1		
10	V 6	TERMINAL GROUND				1		
9								
8	FA 19	CIRCUIT BREAKER	1 A		ETA 1 A, P/N:1-010	1		
7								
6	FA 46	CIRCUIT BREAKER	8 A		ETA 8 A, P/N:1-986	1		
5								
4	FA 43	NOTCH FILTER /GPS/			15754.2 GHz GARMIN	1		OPTION
3	FA 42	ANTENNA COMM			AV-17 OR SP2000	1		VHF
2								
1	FA 40	COMM /VHF/ R/T			GTR 225A	1		
NO.	SYMBOL	DESCRIPTION			TYPE	QUANTITY		REMARKS
PREPARED (OE):			e					
LEITANOVSKÝ			d					
APPROVED (CE):			c					
ZUZELKA			b					
			a					
		INDEX		TEMP. CHANGE		VALIDITY	DATE	SIGNATURE
TYPE:	WT9 Dynamic USA	S/N				W/O:	REGISTRATION:	